

SPRAY DIAMANT



*F* FERRETTI  
Industrial Tools

# SPRAY DIAMANT

by  
*F* FERRETTI  
Industrial Tools


**COS'È SPRAY DIAMANT?**  
**WHAT IS SPRAY DIAMANT?**



**SPRAY DIAMANT** è un sistema brevettato (patent pending) che, grazie all'utilizzo delle più avanzate tecnologie della lavorazione del diamante, ha permesso di produrre un ugello per la spruzzatura di cristallina, graniglia o smalto per la produzione di piastrelle o lastre. Questo ugello può essere utilizzato in qualsiasi impianto ceramico esistente senza apportare alcuna modifica all'impianto stesso.

**SPRAY DIAMANT** is a patented system (patent pending) that, thanks to the use of the most advanced technologies of diamond processing, has allowed the production of a nozzle for spraying of transparent frit, grit or glaze for the production of tiles or slabs. This nozzle can be used in any existing ceramic plant without making any changes to the plant itself.






SPRAY DIAMANT

**QUALI SONO I VANTAGGI?**  
**WHAT ARE THE ADVANTAGES?**

**SPRAY DIAMANT**, grazie alle caratteristiche costruttive e dei materiali cristallini di cui è composto, permette una costante omogeneità di stesura del prodotto fino ad ora impensabile. Infatti, al contrario dei normali ugelli in carburo di tungsteno che tendono ad alterare le proprie caratteristiche geometriche al punto da modificare sensibilmente nel tempo il raggio di spruzzatura e quindi le caratteristiche dello strato di materiale di rivestimento applicato sulle piastrelle, l'ugello **SPRAY DIAMANT** può avere durate che superano di 80 volte quelle degli ugelli fino ad ora utilizzati mantenendo inalterato il raggio di spruzzatura. Chiaramente questo riduce drasticamente, per i nostri clienti, i costi dovuti ai fermi macchina necessari per le continue regolazioni dovute all'usura oppure per le sostituzioni degli ugelli stessi, ma soprattutto una costanza di prodotto ineguagliabile da qualsiasi altro utensile sul mercato.

***SPRAY DIAMANT**, thanks to its building characteristics and to the crystalline materials it is composed of, allows a constant homogeneity of the product application that could not be obtained before. Indeed, unlike normal tungsten carbide nozzles that tend to alter their geometric characteristics, significantly changing the spraying radius over time, and therefore the characteristics of the coating material layer applied to the tiles, the **SPRAY DIAMANT** nozzle can last longer than 80 times compared to nozzles used so far, keeping the spraying radius unchanged. Clearly, this drastically reduces, for our customers, the costs due to machine downtime necessary for continuous adjustments due to wear or for the replacement of the same nozzles, but above all a product regularity unparalleled by any other tool on the market.*







**Ferretti Srl**

Via Dino Ferrari n° 70/72,  
41053 Maranello (Mo) - Italia  
Tel 0536 1800610

[info@ferrettitools.com](mailto:info@ferrettitools.com)

[www.ferrettitools.com](http://www.ferrettitools.com)